

# Bulimia Nervosa in Males

*Bulimia nervosa is a severe, life-threatening disorder characterized by recurrent episodes of binge eating followed by self-induced vomiting or other purging methods (e.g., laxatives, diuretics, excessive exercise, fasting) to prevent weight gain. An individual struggling with bulimia is intensely afraid of gaining weight and exhibits persistent dissatisfaction with his body and appearance, as well as a significant distortion in the perception of the size or shape of his body.*

## **Behavioral Characteristics:**

- Recurrent episodes of binge eating: eating an amount of food that is definitely larger than most people would eat during a similar period of time and under similar circumstances
- A sense of lack of control over eating during binge episodes
- Recurrent purging or compensatory behavior to prevent weight gain: secretive self-induced vomiting, misuse of laxatives, diuretics, or fasting, compulsive exercise (possibly including excessive running, body building, or weight lifting)
- Hoarding of food, hiding food and eating in secret
- Frequently weighing self
- Preoccupation with food
- Focus on certain body parts; e.g., buttocks, thighs, stomach
- Disgust with body size or shape
- Distortion of body size; i.e., feels fat even though he may be thin

## **Emotional and Mental Characteristics:**

- Intense fear of becoming fat or gaining weight
- Performance and appearance oriented
- Works hard to please others
- Depression
- Social isolation
- Possible conflict over gender identity or sexual orientation
- Strong need to be in control
- Difficulty expressing feelings
- Feelings of worthlessness -- uses weight, appearance, and achievement as measures of worth
- Rigid, inflexible "all or nothing" thinking

## **Physical Characteristics:**

- Weight fluctuations
- Loss of dental enamel due to self-induced vomiting
- Edema (fluid retention or bloating)
- Constipation
- Swollen salivary glands
- Cardiac arrhythmia due to electrolyte imbalances
- Esophageal tears, gastric rupture
- Lack of energy, fatigue

(Compiled by Tom Shiltz, MS, CADCIH, Rogers Memorial Hospital, Oconomowoc, WI. Reprinted with permission.

Source: *Diagnostic and Statistical Manual of Mental Disorders*, Fourth Edition. American Psychiatric Association, 1994.)

For more information, contact the National Eating Disorders Association at 603 Stewart St., Suite 803, Seattle, WA 98101  
Information and Referral Helpline: 800-931-2237 or [www.NationalEatingDisorders.org](http://www.NationalEatingDisorders.org)

© 2002 National Eating Disorders Association

Permission granted for duplication and reprinting for educational purposes given the National Eating Disorders Association is credited.